

JOIN THE REVOLUTION

Agile Estimating and Planning



Mike Cohn
Mountain Goat Software
Lafayette, CO
mike@mountaingoatsoftware.com



MARCH 3-7, 2008, SANTA CLARA, CA

1

Mike Cohn - background



Agile coach and trainer


- Founding member and director of Agile Alliance and Scrum Alliance
- Founder of Mountain Goat Software
- Ran my first Scrum project back in 1995
- Typical programmer to manager etc. progression



© Mountain Goat Software, LLC

2

Scrum



© Mountain Goat Software, LLC

3

What's a good plan?

- A good plan is one that supports reliable decision-making
- Will go from
 - We'll be done in the third quarter
 - We'll be done in August
 - We'll be done August 18th

"It's better to be roughly right than precisely wrong."

~John Maynard Keynes



© Mountain Goat Software, LLC

4

What makes planning agile?

Is more focused on planning than the plan

Encourages change

Results in plans that are easily changed

Is spread throughout the project



© Mountain Goat Software, LLC

5

Product, release, sprint planning

Release 1

Release 2

Release 3




Release Plan

Sprint 1

Sprint 2

Sprint 3

Sprints 4-7



We'll focus here today

Task A	8 hours
Task B	16 hours
Task C	5 hours
Task D	8 hours



© Mountain Goat Software, LLC

6


Agenda

- Product backlog estimation units
 - Story points
 - Ideal time
- Techniques for estimating
- Sprint planning
- Release planning



© Mountain Goat Software, LLC

7

A photograph of a corkboard with a white sticky note pinned to it. The sticky note has the text "Estimating in Story Points" written on it. To the left of the sticky note is a pink highlighter. At the bottom of the corkboard is a black pencil.


Estimating in
Story Points



© Mountain Goat Software, LLC


8

Thursday, March 6, 2008




© Mountain Goat Software, LLC

How long will it take...




- ...to read the latest Harry Potter book?
- ...to drive to Austin?




© Mountain Goat Software, LLC

Estimate size; derive duration



© Mountain Goat Software, LLC

11

Measures of size

- Traditional and agile measure size differently



© Mountain Goat Software, LLC

12

Story points

- The “bigness” of a task
- Influenced by
 - How hard it is
 - How much of it there is
- Relative values are what is important:
 - A login screen is a 2.
 - A search feature is an 8.
- Points are unit-less

As a user, I want to be able to have some but not all items in my cart gift wrapped.

5



© Mountain Goat Software, LLC

13

Dog points

Assign “dog points” to the following breeds

Labrador retriever
Dachshund
Great Dane
Poodle
German Shepherd
Terrier
St. Bernard
Bulldog



© Mountain Goat Software, LLC

14


One order of magnitude

- We're good over one order of magnitude
- So think about where to place it on your product backlog



© Mountain Goat Software, LLC

15



© Mountain Goat Software, LLC

16

Ideal time

- How long something would take if
 - it's all you worked on
 - you had no interruptions
 - and everything you need is available
- The ideal time of a football game is 60 minutes
 - Four 15-minute quarters
- The elapsed time is much longer (3+ hours)



© Mountain Goat Software, LLC

17

Elapsed time vs. ideal time

Ideally

- Monday has 8 hours
- Each week has 40 hours

So, this developer will only make four hours of progress on Monday.

It will take two calendar days to complete one ideal day of work.

But instead...

Monday has:

- 1 hour of meetings
- 3 hours of email
- 4 hours left for the project

"How long will this take?"
 Are you answering what is being asked?



© Mountain Goat Software, LLC

18

Ideal time vs. elapsed time

- It's easier to estimate in ideal time
- It's too hard to estimate directly in elapsed time
 - Need to consider all the factors that affect elapsed time at the same time you're estimating



© Mountain Goat Software, LLC

19

Comparing the approaches


- Story points help drive cross-functional behavior
- Story point estimates do not decay
- Story points are a pure measure of size
- Estimating in story points is typically faster
- My ideal days cannot be added to your ideal days
- Ideal days are easier to explain outside the team
- Ideal days are easier to estimate at first
- Ideal days can force companies to confront time wasting activities



© Mountain Goat Software, LLC

20


Three levels of planning...



© Mountain Goat Software, LLC

21

...three levels of precision



© Mountain Goat Software, LLC

22


What I usually do

- I prefer story points
- ...but they make some teams uncomfortable, so I'll
 - Start with ideal time
 - Gives the team a nice foundation for the initial stories
 - Helps team get started
 - Define “1 story point = 1 ideal day”
 - Then
 - Gradually convert team to thinking in unit-less story points
 - “This story is like that story.”
 - Stop talking about how long it will take



© Mountain Goat Software, LLC

23



© Mountain Goat Software, LLC

24

Irrelevant information

- Irrelevant information has an impact on estimates:
 - Specification length
 - Unnecessary detail
 - Unneeded “requirements”
- It’s important
 - to avoid clearly irrelevant information
 - to acknowledge that we’re all affected by this
 - to not dilute highly relevant information with information of marginal value



Source: *How to avoid impact from irrelevant and misleading information on your cost estimates*, Magne Jørgensen and Stein Grimstad, Simula Research Laboratory, Simula Research Labs Estimation Seminar, Oslo, Norway 2006.

© Mountain Goat Software, LLC

25

Specification length

Group A

- Given a one-page spec.

• 117 hours

Group B

- Given a spec with exactly the same text but was 7 pages long
- Increased length achieved through
 - double line space
 - wide margins
 - larger font size
 - more space between paragraphs

• 173 hours




Source: *How to avoid impact from irrelevant and misleading information on your cost estimates*, Magne Jørgensen and Stein Grimstad, Simula Research Laboratory, Simula Research Labs Estimation Seminar, Oslo, Norway 2006.

© Mountain Goat Software, LLC

26

Irrelevant information




Source: *How to avoid impact from irrelevant and misleading information on your cost estimates*, Magne Jørgensen and Stein Grimstad, Simula Research Laboratory, Simula Research Labs Estimation Seminar, Oslo, Norway 2006.

© Mountain Goat Software, LLC

27

Extra requirements



Source: *How to avoid impact from irrelevant and misleading information on your cost estimates*, Magne Jørgensen and Stein Grimstad, Simula Research Laboratory, Simula Research Labs Estimation Seminar, Oslo, Norway 2006.

© Mountain Goat Software, LLC

28

Estimate by analogy

- Comparing a user story to others
 - “This story is like that story, so its estimate is what that story’s estimate was.”
- Don’t use a single gold standard
- Triangulate instead
 - Compare the story being estimated to multiple other stories




© Mountain Goat Software, LLC

29

Triangulation

- Confirm estimates by comparing the story to multiple other stories.
- Group like-sized stories on table or whiteboard



© Mountain Goat Software, LLC

30

Disaggregation

- Breaking a big story into smaller stories or tasks
 - You know how long the smaller tasks take
 - So, disaggregating to something you know lets you estimate something bigger you don't know
- Sometimes very useful
- But disaggregating too far causes problems
 - Forgotten tasks




© Mountain Goat Software, LLC

31

How much effort?

- A little effort helps a lot
- A lot of effort only helps a little more



© Mountain Goat Software, LLC

32

Use the right units

- Can you distinguish a 1-point story from a 2?
 - How about a 17 from an 18?
- Use a set of numbers that make sense; I like:
 - 1, 2, 3, 5, 8, 13
- Stay mostly in a 1-10 range
- Nature agrees:
 - Musical tones and volume are distinguishable on a logarithmic scale

Include 0
and 1/2 if
you want



© Mountain Goat Software, LLC

33

Planning poker

- An iterative approach to estimating
- Steps
 - Each estimator is given a deck of cards, each card has a valid estimate written on it
 - Customer/Product owner reads a story and it's discussed briefly
 - Each estimator selects a card that's his or her estimate
 - Cards are turned over so all can see them
 - Discuss differences (especially outliers)
 - Re-estimate until estimates converge



© Mountain Goat Software, LLC

34

Planning poker - an example



Estimator	Round 1	Round 2
Susan	3	5
Vadim	8	5
Ann	2	5
Chris	5	8



© Mountain Goat Software, LLC

35

Estimate these



Product backlog item	Estimate
Read a high-level, 10-page overview of agile software development in <i>People</i> magazine.	
Read a densely written 5-page research paper about agile software development in an academic journal.	
Write the product backlog for a simple eCommerce site that sells only clocks.	
Recruit, interview, and hire a new member for your team.	
Create a 60-minute presentation about agile estimating and planning for your coworkers.	
Wash and wax your boss' Porsche.	
Read a 150-page book on agile software development.	
Write an 8-page summary of this conference for your boss.	



© Mountain Goat Software, LLC

36

Why planning poker works

- Those who will do the work, estimate the work¹
- Estimators are required to justify estimates^{2, 3}
- Focuses most estimates within an approximate one order of magnitude^{4, 5}

¹Jørgensen, Magne. 2004. *A Review of Studies on Expert Estimation of Software Development Effort*.

²Hagafors, R., and B. Brehmer. 1983. *Does Having to Justify One's Decisions Change the Nature of the Decision Process?*

³Brenner, et al. 1996. *On the Evaluation of One-sided Evidence*.

⁴Miranda, Eduardo. 2001. *Improving Subjective Estimates Using Paired Comparisons*.

⁵Saaty, Thomas. 1996. *Multicriteria Decision Making: The Analytic Hierarchy Process*.



© Mountain Goat Software, LLC

37

Why planning poker works

- Combining of individual estimates⁶ through group discussion⁷ leads to better estimates
- Emphasizes relative rather than absolute estimating
- Estimates are constrained to a set of values so we don't waste time in meaningless arguments
- Everyone's opinion is heard
- It's quick and fun

⁶Hoest, Martin, and Claes Wohlin. 1998. *An Experimental Study of Individual Subjective Effort Estimations and Combinations of the Estimates*.

⁷Jørgensen, Magne, and Kjetil Moløkken. 2002. *Combination of Software Development Effort Prediction Intervals: Why, When and How?*



© Mountain Goat Software, LLC

38

www.planningpoker.com

The screenshot shows a web browser window with the URL <http://this.planningpoker.com/games/26>. The page title is "Payroll system replacement [Planning Poker]". The main content area contains three estimation questions, each with an "Estimate" input field:

- Question 1: "Write a list of definitions." Estimate: 3
- Question 2: "As a/an unauthenticated user I would like to log in so that I can start using the application" Estimate: 3
- Question 3: "As a/an authenticated user I would like to change my password" Estimate: 2

Below the questions, there is a section for "How are they going to get their username and password?" with a grid of cards showing estimates for five participants: Thijs V. (3), Manfred S. (3), Mike C. (5), Giel N. (13), and Angie (20). Below this, another grid shows estimates for four participants: Manfred S. (5), Thijs V. (5), Giel N. (5), and Mike C. (5). A "Complete" button is at the bottom of the grid.

On the right side of the page, there is a sidebar with the following sections:

- All games**
- Estimator access (Lock)**: <http://this.planningpoker.com/wj2/eng>
- Countdown timer**: "Start timer" button
- Done playing?**: "Complete game" button
- Participants**: Angie, Giel de Nijs, Manfred Stienstra, Mike Cohn, Thijs van der Vossen (moderator)

A red callout box in the bottom right of the screenshot says "Free (of course)".


Goat Software, LLC

39



© Mountain Goat Software, LLC

40



41

Two approaches

- Velocity-driven sprint planning
 - “We finished 15 story points last time, let’s plan on 15 story points this time.”
 - Very unreliable in what will be accomplished during an iteration
 - Velocity is mostly useful over the long term
- Commitment-driven sprint planning



42

Commitment-driven sprint planning

- Discuss the highest priority item on the product backlog
- Decompose it into tasks
- Estimate each task
 - Whole team estimates each task
- Ask ourselves, “Can we commit to this?”
 - If yes, see if we can add another backlog item
 - If not, remove this item but see if we can add another smaller one



© Mountain Goat Software, LLC

43

Estimate availability

Person	Hours per Day	Hours per Sprint
Sergey	4-6	40-60
Yuri	5-7	50-70
Carina	2-3	20-30
Total		110-160



© Mountain Goat Software, LLC

44

It looks something like this

As a user, I want ...

2

- Code the abc class (8 hours)
- Code the user interface (4)
- Write test fixtures (4)
- Code the xyz class (6)
- Update performance tests (4)

Team can commit, so they continue...

As a user, I want ...


3

- Prototype the UI (8 hours)
- Demo UI to 3 outside users (3)
- Code new UI (12)
- Update documentation (3)



© Mountain Goat Software, LLC

45



© Mountain Goat Software, LLC

46

A caution

- The purpose of the sprint planning meeting is to arrive at a commitment to a sprint goal or set of product backlog items.
- The purpose of the meeting is not to come up with a list of tasks and hours.
- The tasks and estimates are a tool for determining what we can commit to.



© Mountain Goat Software, LLC


47



© Mountain Goat Software, LLC

48

Release planning



© Mountain Goat Software, LLC

49

Velocity

- To do a release plan, you need to know or have an estimate of velocity
- Three ways to get velocity:
 1. Use historical averages
 2. Run 1-2 iterations and see what you get
 3. Forecast it
- Should be expressed as a range
 - Size of range depends on familiarity of team, domain, and technologies



© Mountain Goat Software, LLC

50

Forecasting velocity

- Just like commitment-driven sprint planning
 - Estimate available hours for the sprint
 - Repeat until full:
 - Pick a story, break into tasks, estimate each task



© Mountain Goat Software, LLC

51

An example

- Estimating available hours

Person	Hours per Day	Hours per Sprint
Sergey	4-6	40-60
Yuri	5-7	50-70
Carina	2-3	20-30
Total		110-160




© Mountain Goat Software, LLC

52

An example

At 110-160 available hours per sprint, what is the team's velocity?



© Mountain Goat Software, LLC

53

Updating the release plan


- Revisit the release plan at the end of every sprint
- Update it based on:
 - Current understanding of velocity
 - Current prioritization of the product backlog
- This should be a very short and sweet process



© Mountain Goat Software, LLC

54

Use actual velocities once they're available



© Mountain Goat Software, LLC

55

Extrapolate from velocity



Assume:
There are five sprints left.

← At our slowest velocity we'll finish here (5×28)

← At our long-term average we'll finish here (5×33)

← At our best velocity we'll finish here (5×37)


Consider drawing
an arrow at most
recent velocity
as well.



© Mountain Goat Software, LLC

56

Mike Cohn contact info



mike@mountaingoatsoftware.com

www.mountaingoatsoftware.com

(720) 890-6110 (office)

(303) 810-2190 (mobile)



© Mountain Goat Software, LLC

57