

Getting Agile with Scrum

Mike Cohn

19 June 2009

1

We're losing the relay race

“The... ‘relay race’ approach to product development...may conflict with the goals of maximum speed and flexibility. Instead a holistic or ‘rugby’ approach—where a team tries to go the distance as a unit, passing the ball back and forth—may better serve today’s competitive requirements.”

Hiroataka Takeuchi and Ikujiro Nonaka, “The New New Product Development Game”, *Harvard Business Review*, January 1986.



Scrum origins

- Jeff Sutherland
 - Initial scrums at Easel Corp in 1993
 - IDX and 500+ people doing Scrum
- Ken Schwaber
 - ADM
 - Scrum presented at OOPSLA 96 with Sutherland
 - Author of three books on Scrum
- Mike Beedle
 - Scrum patterns in PLOPD4
- Ken Schwaber and Mike Cohn
 - Co-founded Scrum Alliance in 2002, initially within the Agile Alliance



© 2003–2009 Mountain Goat Software®

3

Scrum has been used by:

- Microsoft
- Yahoo
- Google
- Electronic Arts
- IBM
- Lockheed Martin
- Philips
- Siemens
- Nokia
- Capital One
- BBC
- Intuit
- Apple
- Nielsen Media
- First American Corelogic
- Qualcomm
- Texas Instruments
- Salesforce.com
- John Deere
- Lexis Nexis
- Sabre
- Salesforce.com
- Time Warner
- Turner Broadcasting
- Océ



© 2003–2009 Mountain Goat Software®

4

Scrum has been used for:

- Commercial software
- In-house development
- Contract development
- Fixed-price projects
- Financial applications
- ISO 9001-certified applications
- Embedded systems
- 24x7 systems with 99.999% uptime requirements
- the Joint Strike Fighter
- Video game development
- FDA-approved, life-critical systems
- Satellite-control software
- Websites
- Handheld software
- Mobile phones
- Network switching applications
- ISV applications
- Some of the largest applications in use



© 2003–2009 Mountain Goat Software®

5

Characteristics


- Self-organizing teams
- Product progresses in a series of month-long “sprints”
- Requirements are captured as items in a list of “product backlog”
- No specific engineering practices prescribed
- Uses generative rules to create an agile environment for delivering projects
- One of the “agile processes”



© 2003–2009 Mountain Goat Software®

6

Project noise level




Source: *Strategic Management and Organizational Dynamics* by Ralph Stacey in *Agile Software Development with Scrum* by Ken Schwaber and Mike Beedle.



© 2003–2009 Mountain Goat Software®

7

Scrum



© 2003–2009 Mountain Goat Software®

8

Sprints

- Scrum projects make progress in a series of “sprints”
- Typical duration is 2–4 weeks or a calendar month at most
- A constant duration leads to a better rhythm
- Product is designed, coded, and tested during the sprint



© 2003–2009 Mountain Goat Software®


9

Sequential vs. overlapping development



Rather than doing all of one thing at a time...

...Scrum teams do a little of everything all the time




Source: “The New New Product Development Game” by Takeuchi and Nonaka. *Harvard Business Review*, January 1986.

© 2003–2009 Mountain Goat Software®

10

No changes during a sprint



- Plan sprint durations around how long you can commit to keeping change out of the sprint



Scrum framework

Roles

- Product owner
- ScrumMaster
- Team

Ceremonies

- Sprint planning
- Sprint review
- Sprint retrospective
- Daily scrum meeting

Artifacts

- Product backlog
- Sprint backlog
- Burndown charts



Scrum framework

Roles

- Product owner
- ScrumMaster
- Team

Ceremonies

- Sprint planning
- Sprint review
- Sprint retrospective
- Daily scrum meeting

Artifacts


- Product backlog
- Sprint backlog
- Burndown charts



© 2003–2009 Mountain Goat Software®

13

Product owner



- Define the features of the product
- Decide on release date and content
- Be responsible for the profitability of the product (ROI)
- Prioritize features according to market value
- Adjust features and priority every iteration, as needed
- Accept or reject work results



© 2003–2009 Mountain Goat Software®

14

The ScrumMaster




- Represents management to the project
- Responsible for enacting Scrum values and practices
- Removes impediments
- Ensure that the team is fully functional and productive
- Enable close cooperation across all roles and functions
- Shield the team from external interferences



© 2003–2009 Mountain Goat Software®

15

The team



- Typically 5-9 people
- Cross-functional:
 - Programmers, testers, user experience designers, etc.
- Members should be full-time
 - May be exceptions (e.g., database administrator)
- Teams are self-organizing
 - Ideally, no titles but rarely a possibility
- Membership should change only between sprints



© 2003–2009 Mountain Goat Software®

16

Scrum framework

Roles

- Product owner
- ScrumMaster
- Team

Ceremonies

- Sprint planning
- Sprint review
- Sprint retrospective
- Daily scrum meeting


Artifacts

- Product backlog
- Sprint backlog
- Burndown charts



© 2003–2009 Mountain Goat Software®

17



© 2003–2009 Mountain Goat Software®

18

Sprint planning

- Team selects items from the product backlog they can commit to completing
- Sprint backlog is created
 - Tasks are identified and each is estimated (1-16 hours)
 - Collaboratively, not done alone by the ScrumMaster
- High-level design is considered

As a vacation planner, I want to see photos of the hotels.

Code the middle tier (8 hours)
Code the user interface (4)
Write test fixtures (4)
Code the foo class (6)
Update performance tests (4)



© 2003–2009 Mountain Goat Software®

19

The daily scrum

- Parameters
 - Daily
 - 15-minutes
 - Stand-up
- Not for problem solving
 - Whole world is invited
 - Only team members, ScrumMaster, product owner, can talk
- Helps avoid other unnecessary meetings



© 2003–2009 Mountain Goat Software®

20

Everyone answers 3 questions

1
What did you do yesterday?

2
What will you do today?

3
Is anything in your way?

- These are *not* status for the ScrumMaster
- They are commitments in front of peers



© 2003–2009 Mountain Goat Software®

21

The sprint review

- Team presents what it accomplished during the sprint
- Typically takes the form of a demo of new features or underlying architecture
- Informal
 - 2-hour prep time rule
 - No slides
- Whole team participates
- Invite the world



© 2003–2009 Mountain Goat Software®

22

Sprint retrospective

- Periodically take a look at what is and is not working
- Typically 15–30 minutes
- Done after every sprint
- Whole team participates
 - ScrumMaster
 - Product owner
 - Team
 - Possibly customers and others



Start / Stop / Continue

- Whole team gathers and discusses what they'd like to:

Start doing

Stop doing

Continue doing

This is just one of many ways to do a sprint retrospective.



Scrum framework

Roles

- Product owner
- ScrumMaster
- Team

Ceremonies

- Sprint planning
- Sprint review
- Sprint retrospective
- Daily scrum meeting

Artifacts

- Product backlog
- Sprint backlog
- Burndown charts



© 2003–2009 Mountain Goat Software®

25

Product backlog

- The requirements
- A list of all desired work on the project
- Ideally expressed such that each item has value to the users or customers of the product
- Prioritized by the product owner
- Reprioritized at the start of each sprint



This is the product backlog



© 2003–2009 Mountain Goat Software®

26

A sample product backlog

Backlog item	Estimate
Allow a guest to make a reservation	3
As a guest, I want to cancel a reservation.	5
As a guest, I want to change the dates of a reservation.	3
As a hotel employee, I can run RevPAR reports (revenue-per-available-room)	8
Improve exception handling	8
...	30
...	50



© 2003–2009 Mountain Goat Software®

27

The sprint goal

- A short statement of what the work will be focused on during the sprint

Database Application

Make the application run on SQL Server in addition to Oracle.

Life Sciences

Support features necessary for population genetics studies.

Financial services

Support more technical indicators than company ABC with real-time, streaming data.



© 2003–2009 Mountain Goat Software®

28

Managing the sprint backlog

- Individuals sign up for work of their own choosing
 - Work is never assigned
- Estimated work remaining is updated daily
- Any team member can add, delete or change the sprint backlog
- Work for the sprint emerges
- If work is unclear, define a sprint backlog item with a larger amount of time and break it down later
- Update work remaining as more becomes known




A sprint backlog

Tasks	Mon	Tues	Wed	Thur	Fri
Code the user interface	8	4	8		
Code the middle tier	16	12	10	4	
Test the middle tier	8	16	16	11	8
Write online help	12				
Write the foo class	8	8	8	8	8
Add error logging			8	4	




A sprint burndown chart



© 2003–2009 Mountain Goat Software®

31

Tasks	Mon	Tues	Wed	Thur	Fri
Code the user interface	8	4	8		
Code the middle tier	16	12	10	7	
Test the middle tier	8	16	16	11	8
Write online help	12				



© 2003–2009 Mountain Goat Software®




32


Scalability

- Typical individual team is 7 ± 2 people
 - Scalability comes from teams of teams
- Factors in scaling
 - Type of application
 - Team size
 - Team dispersion
 - Project duration
- Scrum has been used on projects of over 1,000 people



Scaling through the Scrum of scrums





35

A Scrum reading list

- *Agile Estimating and Planning* by Mike Cohn
- *Agile Project Management with Scrum* by Ken Schwaber
- *Agile Retrospectives* by Esther Derby and Diana Larsen
- *Agile Software Development* by Alistair Cockburn
- *Agile Software Development with Scrum* by Ken Schwaber and Mike Beedle
- *Agile Testing: A Practical Guide for Testers and Agile Teams* by Lisa Crispin and Janet Gregory
- *The Enterprise and Scrum* by Ken Schwaber
- *The Software Project Manager's Bridge to Agility* by Michele Sliger and Stacia Broderick
- *User Stories Applied for Agile Software Development* by Mike Cohn



36

About this presentation...

- A Creative Commons version of this presentation is available at:
www.mountaingoatsoftware.com/scrum-a-presentation
- Available in Keynote and PowerPoint format
- Translated into nine languages (so far!)



© 2003–2009 Mountain Goat Software®

37

Upcoming classes in Oslo


Date	What
22–23 June	Certified Scrum Product Owner
24–25 June	Certified ScrumMaster
12–14 October	Certified ScrumMaster (three-day)
15–16 October	Certified Scrum Product Owner
18–20 January	Certified ScrumMaster (three-day)
21–22 January	Certified Scrum Product Owner

Information and registration at
www.programutvikling.no



© 2003–2009 Mountain Goat Software®

38



© 2003–2009 Mountain Goat Software®